# <u>HIP</u>



HIP is a new Lounge armchair suitable for office and contract areas which high and wrap-around form and a comfortable armrest with a steel support painted in black or white, make the HIP armchair ideal to create a privacy corner in waiting areas.

1



2



3







<sup>1 .</sup> Swivel base armchair

<sup>2 . 4</sup> legs base armchair


<sup>3 .</sup> Ottoman

# **HIP**





## **DIMENSIONS**



## **BASE**

- Two types of bases are available:
  1. 4 legs metal tubular structure diam 16 mm painted in black or white
  - 2. Swivel base in chromed metal





## STRUCTURE AND FOAM

It is made up of an inner metal skeleton and polyurethanic cold injected foam rubber.

The comfortable seat cushion is in 70 density rubber, 15 cm thick.

The lumbar cushion increase its comfort.

It is also available with fireproof rubber Certified 1IM.

## **ACCESSORIES**

### **OTTOMAN**

The Hip ottoman is a versatile multifunctional accessory that can be used as ottoman, table, or both using the extractable element.

Made up of three elements:

- "U" structure in wood and covered, on feet or castors
- Extractable inner part made with a polystyrene and foamed with rubber
- Metal plate painted in white or black.





### **UPHOLSTERY**

### BIO-EXPO CATEGORY 2

300 gr/mt2 100% Propitex FR bacteriostatic Class 1UNI EN ISO 354:2003 100.000 +/- 10% cycles Martindale

### EXTREME CATEGORY 2

350 gr/mtl 100% Xtreme FR Class 1 , EN 1021-1/2 100.000 +/- 10% cycles Martindale

#### LASER CATEGORY 2

560 gr/mtl 100% Polyester FR Class 1

80.000+/- 10% cycles Martindale

# ECOPELLE CATEGORY 2

630 gr/mt2 83% PVC, 17% Synthetic ISO 379-DIN75200-CSERF4/83 10% cvcles Martindale

### ERA CATEGORY 3

448 gr/mtl 100% Trevira CS Class 1UNI EN ISO 354:2003 100.000 +/- 10% cycles Martindale

# LASER PLUS CATEGORY 3

630 gr/mtl 100% Polyester FR Trevira Classe1 , 4.000 +/- cycles Martindale

# ECOPELLE SOUL CATEGORY 3

760 gr/mt2 Superficies 100% POLIURETANO, Base Polyester 85%,17% Cotton EN1021-1/BS5852 PART 1 >100.000 EN ISO 5470-2

### MELANGE CATEGORY 3

390 g/lin.m 100% Trevira CS Class 1 80.000 +/- 10% cycles Martindale

## CATEGORY 3

365+/- 5% g/lin.m 100% Polyester FR Class 1 80.000+/- 10% cycles Martindale

### ECOPELLE SISTEMA PRO CATEGORY 3

710 gr/mt2 Surface 93% PVC Base Polyester 28% CLASSE1 100.000 CICLI

# ECOPELLE VITAX CATEGORY 3

850 gr/mt2 Surface 98% PVC 2% PU Base cotton 100% CLASSE 1 100.000 CICLI

# ONE RECICLE CATEGORY 3

525 gr/mt2 100% recycled polyester Base cotton 100% CLASSE 1IM 100.000 CICLI

#### LANA CATEGORY 5

500 gr/mt2 75% Lana, 25% polyamide Class 1 100.000 cycles Martindale

### PELLE CATEGORY 5/6

620 g/lin.m 100% Cow leather Class 1, EN 1021-1/2

### PIED POULE CATEGORY 6

550 g/lin.m 66% cotton, 34% Polyester 35.000 % cycles Martindale

## **EUROPOST 2 CATEGORY 6**

710 g/lin.m 63% PU, 16% CO, 21% PL Ini1975 CLASS1emme,UNI9175/FA 50.000% cycles Martindale

### PREMIUM /ELEGANCE CATEGORY 7

100% First quality cow leather Thickness 1,2/1,4 mm EN1021-1/2

### STEELCUT TRIO CATEGORY 7

770 g/lin.m 90% New wool worsted, 10% Nylon Class 1, EN 1021-1/2 100.000 % cycles Martindale

### REMIX CATEGORY 7

415 g/lin.m 90% New wool worsted, 10% Nylon Class 1, EN 1021-1/2 100.000 % cycles Martindale

# VELLUTO DECONTRACTE' CATEGORY 7

590 g/lin.m 19% CO, 61% PC,10% PL, 10%VI 40.000 % cycles Martindale

### MERIT CATEGORY 7

500g/lin.m 76% Polyester Recycled 24% Polyester EN 1021-1/2 85.000 % cycles Martindale

## VELLUTO CATEGORY 8

600 g/lin.m 100.000 % PL Flame retardant

## PELLE SOFT CATEGORY 8

100% Cow leather Thickness,8-2 mm Aniline treatment – First quality EN1021-1/2





### **USAGE AND MAINTENANCE**

In order to have an optimal maintenance of the products and to preserve the characteristics of the materials by which they are made, it is recommended the following course of action.

### **FABRICS**

Cleaning: check the dedicated selection written on the color Swatch card.

Usage: it is recommended to pay careful attention to the fabrics as they can be cut or ripped easly.

#### WOODS

Cleaning: clean using a soft cloth, soaked in tepid water. Dry always after the cleaning. Remove immediately any liquid substances or other residue in order to prevent the absorption.

Usage: wooden surfaces, being a natural material, might be subjected to color alterations with sun exposure and use over time. It is reminded that wooden surfaces cannot endure direct heat sources.

### **METALS**

Cleaning: both steel and aluminum surfaces, and the painted ones, have to be cleaned using a soft cloth soaked in tepid water. For the most persistent stains it is possible to dilute mild soap with water moderately. Dry always after the cleaning, using a soft cloth o deer-hide. Do not use cleaning products for steel, chlorine, bleach or other strong products. It is not recommended to use abrasive, scourers, which can scratch the metal surfaces.

Usage: pay attention to the food stains as coffee, coke, fruit juices that can make indelible marks on the surfaces.

### WARRANTY

QUINTI guarantees the products will maintain their properties for 6 years from delivery, except normal usury and provided that they will be used according to the guidelines given. QUINTI will replace, free of charge, any product found non-compliant with this warranty, without incurring any other liability of sort. Components, external accessories or materials supplied by the buyer and applied to the products in order to customize them will not be supported by the guarantee. For an optimal maintenance of the products and to keep unchanged the characteristics of the materials with which they are made, some simple attentions are necessary.